

40 Allied Drive Dedham, MA 02026 781-251-3535 (office) www.bostonsportsmedicine.com


# **Theraband Strengthening Exercises**

These resistance exercises should be done very slowly in <u>both</u> directions. We want to strengthen you throughout the full range of motion and it is very important that these exercises be done very slowly, not only when you complete the exercise (concentric), but also as you come back to the start position (eccentric). The slower the motion, the more maximal the contraction throughout a full range of motion.

### **External Rotation**

Attach the theraband at waist level in a doorjamb or other. While standing sideways to the door and looking straight ahead, grasp one end of the band and pull the band all the way through until it is taut. Feet are shoulder width apart and the knees are slightly flexed. The elbow is placed next to the side with the hand as close to your chest as possible (think of this elbow as being a hinge on a gate). Taking the cord in the hand, move the hand away from the body as far as it feels comfortable. Return to the start position.





#### **Internal Rotation**

Attach the Theraband at waist level in a doorjamb or other. While standing sideways to the door and looking straight ahead, grasp one end of the handle and pull the cord all the way through until it is taut. Feet are shoulder width apart and the knees are slightly flexed. The elbow is placed next to the side and is flexed at 90 degrees (think of this elbow as being a hinge on a gate). Taking the cord in the hand, move the hand toward the chest as far as it feels comfortable. Return to the start position.





### Shoulder Shrug

Stand on the theraband with your feet at should width apart and look straight ahead. Next, straighten up, keeping the knees slightly flexed, with your arms straight down at the sides (palms in). Slowly raise the shoulders in a shrug (toward the ears), then rotate the shoulders backward in a circular motion, and finally down to the original position. This movement is completed while keeping constant tension on the cord.







40 Allied Drive Dedham, MA 02026 781-251-3535 (office) www.bostonsportsmedicine.com

### Seated / Standing Row

Attach the theraband in a doorjamb or other. Sit or stand facing the door. Use a wide flat—footed stance and keep your back straight. Begin with the arms slightly flexed, hands together at waist level in front of your body, thumbs pointing upward, and with the cord taut. You are producing a rowing motion. Pull the cord all the way toward the chest. While pulling the cord, the elbows should be drawn along the side of the body until the hands touch the lower ribs. Always return slowly to the start position.





#### **Standing Forward Punch**

Attach the theraband at waist level in the doorjamb. Facing away from the door, stand in a boxing position with one leg ahead of the other (stride position). Do not bend at the waist and remain in an upright position. If the right shoulder is the injured extremity, you will want to grasp the handle in the right hand and step out until the cord is taut. If you use the right hand, the left foot should be forward in the stride position. Begin with your right arm at waist level and bend the elbow at a 90 degree angle, with the elbow remaining near your side. Slowly punch forward while slightly raising the right arm in a forward, upward punching motion. The hand should reach approximately neck level with the right arm almost straight.





#### **Biceps Curls**

Place your feet on the cord, shoulder width apart, knees slightly bent. Keeping your elbows close to the sides of your body, slowly bend the arm at the elbow and curl towards the shoulder.





#### Dynamic Hug

With the tubing attach behind you at shoulder height, grip both ends of the tubing in your hands with the tubing on the outside of your shoulders. Pull the band forward and slightly downward in a 'hugging' motion, or as if you were wrapping both arm around a small tree. Pause and return slowly to the starting position.







## 40 Allied Drive Dedham, MA 02026 781-251-3535 (office) www.bostonsportsmedicine.com

### 'W's

With the tubing attached in front of you, stand with the tubing in both hands with the elbows bent at 90° and fixed at your side. Pull the band outward, keeping the elbow at your side. The arms rotate outward making the shape of a 'W'.









# Standing 'T's.

Stand with the theraband attached in front of you. Stand with the arm flexed forward at shoulder height with the elbow straight. While keeping the elbow straight, pull the arm toward the rear until the arm is by your side.





### Theraband external rotation at 90°.

Stand with the theraband attached in front of you. Keeping the arm elevated to 90 degrees and the elbow at a 90-degree angle, rotate the hand and arm slowly backward and then return slowly to the start position.






#### Theraband internal rotation at 90°.

Stand with the theraband attached behind you. Keeping the arm elevated to 90 degrees and the elbow at a 90-degree angle, rotate the hand and arm slowly forward and then return slowly to the start position.







# Theraband diagonal-up

Stand with the theraband attached on your left side for your right hand. Start with your right hand on the left hip with the thumb facing the hip. Start by pulling the band so that your hand travels up and behind your head.

# Theraband diagonal-down

Stand with the theraband attached behind you at shoulder level. Start with your arm in throwing position. Pull the band down and across your body so that your thumb faces the opposite hip.

## 40 Allied Drive Dedham, MA 02026 781-251-3535 (office) www.bostonsportsmedicine.com







